

Notifiable Disease Surveillance Monthly Report

Metro Public Health Department

Date: January 29, 2004



December 2003 Reported Notifiable Diseases at a Glance

Disease	December 2003	Cumulative through December 2003	December 2002	Cumulative through December 2002
AIDS* - pages 3 & 4	18	274	8	218
HIV* - pages 3 & 4	21	306	21	314
Sexually Transmitted Diseases - page 3				
Chlamydia	208	2,653	150	2,117
Gonorrhea	95	1,492	117	1,390
Primary and Secondary Syphilis	3	21	2	26
Other Syphilis	12	174	26	267
Tuberculosis - page 8	9	66	5	64
Communicable Diseases ** - pages 5-7				
Gastrointestinal Diseases ¹	11	120	9	149
Hepatitis A	2	12	0	18
VRE & DRSP ²	11	84	5	79
<i>Neisseria meningitidis</i> Disease	1	1	0	5
Bacteremia and meningitis caused by:				
<i>Haemophilus influenzae</i>	2	9	0	5
Group A streptococcus	1	16	1	4
<i>Listeria monocytogenes</i>	0	0	0	0
Other Bacteria ³	1	4	0	3
Other Communicable Diseases ⁴	2	39	1	27
Vaccine-preventable Diseases** - pages 5 & 7				
Influenza-like Illness [^]	1,472	2,479	1	230
Other ⁵	1	13	1	15

*Includes both Davidson County residents and non-Davidson County residents

**Presented on this page by event date

[^]Includes cases reported as confirmed and probable

¹ Gastrointestinal diseases = campylobacteriosis, *E-coli* 0157:H7, giardiasis, salmonellosis, and shigellosis



²VRE = Vancomycin resistant enterococci / DRSP = drug resistant *Streptococcus pneumoniae*

³See page 9 for a list of bacteria included in this category




⁴Includes diseases listed in tables on pages 5 through 7 categorized as "Other"

⁵Includes diphtheria, measles, mumps, pertussis, and tetanus



HIV/AIDS








Sexually Transmitted Diseases









Tuberculosis







Gastrointestinal Diseases





Hepatitis




Meningitis





DRSP and VRE



Other Communicable Diseases



Vaccine-preventable Diseases



Notifiable Disease Surveillance Monthly Report: AIDS/HIV/STDs

Month: December, 2003 by Date of Report

Disease	Reported Cases	Place of Diagnosis		Race				Gender			Age										Previous Year
		MHD	Other	White	Black	Other	Unk	Male	Female	Unk	< 1	1-9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70+	Unk	December, 2002
AIDS/HIV																					
AIDS*	18		18	9	9			10	8				1	3	6	5	3				8
HIV*	21	4	17	9	11	1		16	5				2	9	1	6	3				21
Sexually Transmitted Diseases																					
Chlamydia	208	87	121	49	127	3	29	69	139				82	103	20	2	1				150
Gonorrhea	95	36	59	24	54		17	49	46				28	40	16	6	4	1			117
Syphilis, Primary																					
Syphilis, Secondary	3	1	2	2	1			3							1	2					2
Syphilis, Congenital																					
Syphilis, Other	12	4	8	5	7			7	5					1	3	4	4				26
Total Syphilis	15	5	10	7	8	0	0	10	5	0	0	0	0	1	4	6	4	0	0	0	28
Total STDs	318	128	190	80	189	3	46	128	190	0	0	0	110	144	40	14	9	1	0	0	295
Syphilis Cases Who Were Homeless	0																				0
Cumulative through December, 2003																					
AIDS/HIV																					
AIDS*	274		274	139	131	4		204	70			1	2	30	98	112	26	5			218
HIV*	306	60	246	144	150	11	1	247	59			1	12	76	92	81	34	10			314
Sexually Transmitted Diseases																					
Chlamydia	2,653	961	1,692	723	1,587	44	299	791	1,862			2	906	1,407	267	59	11	1			2,117
Gonorrhea	1,492	658	834	295	1,043	18	136	795	697				352	738	238	124	33	6	1		1,390
Syphilis, Primary	6	3	3	4	2			5	1					4	1		1				7
Syphilis, Secondary	15	2	13	11	4			12	3					1	8	4	2				19
Syphilis, Congenital																					
Syphilis, Other	174	38	136	52	121	1		108	66				2	36	52	53	25	4	2		267
Total Syphilis	195	43	152	67	127	1	0	125	70	0	0	0	2	41	61	57	28	4	2	0	293
Total STDs	4,340	1,662	2,678	1,085	2,757	63	435	1,711	2,629	0	0	2	1,260	2,186	566	240	72	11	3	0	3,800
Syphilis Cases Who Were Homeless	6	1	5	2	4			5	1						2	3	1				11

Blank space = No report received

Includes both Davidson County and non-Davidson County residents

Notifiable Disease Surveillance Monthly Report: AIDS/HIV Davidson County Resident Only

Month: December, 2003 by Date of Report

Disease	Reported Cases	Place of Diagnosis		Race				Gender			Age										Previous Year	
		MHD	Other	White	Black	Other	Unk	Male	Female	Unk	< 1	1-9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70+	Unk	December, 2002	
AIDS/HIV																						
AIDS	14		14	6	8			8	6				1	2	4	4	3				6	
HIV	19	4	15	7	11	1		15	4				2	8		6	3				20	
Cumulative Through December, 2003																						
AIDS/HIV																						
AIDS	204		204	89	113	2		154	50				2	22	70	85	21	4			154	
HIV	218	59	159	86	124	7	1	176	42				11	54	62	59	26	6			230	

Notifiable Disease Surveillance Monthly Report: AIDS/HIV Non-Davidson County Resident Only

Month: December, 2003 by Date of Report

Disease	Reported Cases	Place of Diagnosis		Race				Gender			Age										Previous Year	
		MHD	Other	White	Black	Other	Unk	Male	Female	Unk	< 1	1-9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70+	Unk	December, 2002	
AIDS/HIV																						
AIDS	4		4	3	1			2	2					1	2	1					2	
HIV	2		2	2				1	1					1	1						1	
Cumulative Through December, 2003																						
AIDS	70		70	50	18	2		50	20			1		8	28	27	5	1			64	
HIV	88	11	77	58	26	4		71	17			1	1	22	30	22	8	4			84	

Blank space = No report received

Notifiable Disease Surveillance Monthly Report: Communicable Disease/Vaccine-Preventable

Month: December, 2003 by Event Date

Disease	Reported Cases	Race				Gender			Age											Previous Year
		White	Black	Other	Unk	Male	Female	Unk	< 1	1-9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70+	Unk	December, 2002	
Gastrointestinal Diseases																				
Campylobacteriosis	2			1	1	1	1			1		1							3	
E-Coli 0157:H7																				
Giardiasis	3				3	1	2		1			1	1							
Salmonellosis	5	2	1		2	2	3		1	1			2		1				6	
Shigellosis	1				1		1			1										
Total	11	2	1	1	7	4	7	0	2	3	0	2	3	0	1	0	0	0	9	
Hepatitis A, B, and C																				
Hepatitis A	2			1	1		2					1			1					
Hepatitis B																				
-Acute	1				1	1								1					1	
-Chronic	3		2		1	3							1	1		1			7	
-Perinatal	3				3		3					3							2	
Hepatitis C																				
-Acute																				
-Chronic	6	4		2		4	2				1			1	4				33	
Total	15	4	2	3	6	8	7	0	0	0	1	4	1	3	5	1	0	0	43	
Bacterial Meningitis and Bacteremia																				
Neisseria meningitidis Disease	1		1			1							1							
Bacteremia and meningitis caused by:																				
Haemophilus influenzae	2		1		1		2		1								1			
Group A Streptococcus	1	1					1							1					1	
Listeria monocytogenes																				
Other Bacteria	1		1				1							1						
Total	5	1	3	0	1	1	4	0	1	0	0	0	1	2	0	0	1	0	1	
DRSP/VRE																				
DRSP	5	1	1		3	2	3						1		2		2		3	
VRE	6	3	2		1	3	3					1	1	1	3				2	
Total	11	4	3	0	4	5	6	0	0	0	0	1	2	1	5	0	2	0	5	
Other																				
Invasive Group B Streptococcus	1	1				1									1				1	
Yersiniosis	1		1				1									1				
Total	2	1	1	0	0	1	1	0	0	0	0	0	0	0	1	1	0	0	1	
Total of Communicable Diseases	44	12	10	4	18	19	25	0	3	3	1	7	7	6	12	2	3	0	59	
Vaccine-preventable Diseases																				
Diphtheria																				
Influenza-like Illness	1472*				1,472			1,472										1,472	1	
Measles																				
Mumps																				
Pertussis	1	1				1					1								1	
Tetanus																				
Total	1,473	1	0	0	1,472	1	0	1,472	0	0	1	0	0	0	0	0	0	1,472	2	

*Reported as confirmed cases

Blank space = No report received

Notifiable Disease Surveillance Monthly Report: Communicable Disease/Vaccine-Preventable

Cumulative Through December, 2003 by Event Date

Disease	Reported Cases	Race				Gender			Age											Previous Year
		White	Black	Other	Unk	Male	Female	Unk	< 1	1-9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70+	Unk	December, 2002	
Gastrointestinal Diseases																				
Campylobacteriosis	21	9	1	1	10	10	11		1	3	2	5	1	5		4			35	
E-Coli 0157:H7																			5	
Giardiasis	35	1			34	22	12	1	3	11	2	2	6	9	1	1			33	
Salmonellosis	51	18	5	2	26	21	29	1	8	11	5	1	9	7	6	1	2	1	64	
Shigellosis	13	4		2	7	7	6			8	1	1	2					1	12	
Total	120	32	6	5	77	60	58	2	12	33	10	9	18	21	7	6	2	2	149	
Hepatitis A, B, and C																				
Hepatitis A	12	4		1	7	5	7		1		1	2	1	3	1	3			18	
Hepatitis B																				
-Acute	23	7	6		10	18	5					6	6	7	4				21	
-Chronic	85	8	12	3	62	56	29		1	2	5	9	22	28	10	5	3		102	
-Perinatal	35			1	34		35				1	25	9						27	
Hepatitis C																				
-Acute	1		1			1									1				2	
-Chronic	433	248	129	21	35	260	172	1			2	14	56	208	133	13	6	1	348	
Total	589	267	148	26	148	340	248	1	2	2	9	56	94	246	149	21	9	1	518	
Bacterial Meningitis and Bacteremia																				
Neisseria meningitidis Disease	1		1			1							1						5	
Bacteremia and Meningitis caused by:																				
Haemophilus influenzae	9	3	3		3	1	8		1					2	2		4		5	
Group A Streptococcus	16	8	3	1	4	6	9	1		1		2	1	3		1	6	2	4	
Listeria monocytogenes																				
Other Bacteria	4	1	3				4						1	2	1				3	
Total	30	12	10	1	7	8	21	1	1	1	0	2	3	7	3	1	10	2	17	
DRSP/VRE																				
DRSP	29	8	11		10	19	10		2	1	1	1	2	5	7	1	9		22	
VRE	55	35	16		4	22	32	1	1			3	8	11	12	6	14		57	
Total	84	43	27	0	14	41	42	1	3	1	1	4	10	16	19	7	23	0	79	
Other																				
Invasive Group B Streptococcus	38	21	10	1	6	24	14		7			2	3	4	7	5	8	2	26	
Yersiniosis	1		1				1									1			1	
Total	39	21	11	1	6	24	15	0	7	0	0	2	3	4	7	6	8	2	27	
Total of Communicable Diseases	862	375	202	33	252	473	384	5	25	37	20	73	128	294	185	41	52	7	790	
Vaccine-preventable Diseases																				
Diphtheria																				
Influenza-like Illness	2479*				2,479			2,479										2,479	230**	
Measles																				
Mumps	1	1					1					1							1	
Pertussis	12	8	1	1	2	7	5		7	2	2	1							14	
Tetanus																				
Total	2,492	9	1	1	2,481	7	6	2,479	7	2	2	2	0	0	0	0	0	2,479	245	

*Reported as confirmed cases

**227 reported as confirmed cases

Blank space = No report received

Notifiable Disease Surveillance Monthly Report: Hepatitis Risk Factors

Month: December, 2003 by Event Date

Risk Factor	Reported Cases	Information Not Available*	Race				Gender			Age										
			White	Black	Other	Unk	Male	Female	Unk	< 1	1-9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70+	Unk	
Hepatitis A																				
During the 2 - 6 weeks prior to illness:																				
Child/employee daycare																				
Household contact to child in daycare																				
Contact to case																				
Sexual																				
Household	1				1			1					1							
Other																				
Foodhandler																				
Consume raw shellfish																				
Part of common-source outbreak																				
Travel																				
South/Central America																				
Africa																				
Caribbean																				
Middle East																				
Asia/South Pacific																				
Australia/New Zealand																				
Other	1				1			1					1							
Duration																				
1 - 3 Days																				
4 - 7 Days																				
More than 7 Days	1				1			1					1							
Total Reported Cases	12	0																		
Hepatitis B																				
During the 6 weeks - 6 months prior to illness:																				
Contact to case																				
Sexual																				
Household																				
Other																				
Employed in medical/dental field																				
Receive blood products																				
Associated with dialysis or kidney transplant unit																				
Inject street drugs																				
Sexual Preference																				
Heterosexual	1					1	1							1						
Homosexual																				
Bisexual																				
Unknown																				
Number of sex partners																				
None																				
One	1					1	1							1						
2 - 5																				
More than 5																				
Unknown																				
Dental surgery																				
Other surgery																				
Acupuncture																				
Tattoo																				
Accidental needle stick																				
Object contaminated with blood																				
Received 3 dose hepatitis B series																				
Yes																				
No	1																			
Total Reported Cases	1	0																		

*When the NETSS field for a specific risk factor is blank (not marked yes or no), that case will be reflected in the count for this column.
Information provided only when case answered positively for the respective risk factor.

Notifiable Disease Surveillance Monthly Report: Hepatitis Risk Factors

Cumulative through December, 2003 by Event Date

Risk Factor	Reported Cases	Information Not Available*	Race				Gender			Age										
			White	Black	Other	Unk	Male	Female	Unk	< 1	1-9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70+	Unk	
Hepatitis A																				
During the 2 - 6 weeks prior to illness:																				
Child/employee daycare																				
Household contact to child in daycare																				
Contact to case																				
Sexual																				
Household	1				1			1					1							
Other																				
Foodhandler																				
Consume raw shellfish																				
Part of common-source outbreak																				
Travel																				
South/Central America																				
Africa																				
Caribbean																				
Middle East																				
Asia/South Pacific																				
Australia/New Zealand																				
Other	1				1			1					1							
Duration																				
1 - 3 Days																				
4 - 7 Days																				
More than 7 Days	1				1			1					1							
Total Reported Cases	12	3																		
Hepatitis B																				
During the 6 weeks - 6 months prior to illness:																				
Contact to case																				
Sexual	2		2				1	1						1	1					
Household	1		1				1								1					
Other																				
Employed in medical/dental field	1			1			1							1						
Receive blood products																				
Associated with dialysis or kidney transplant unit																				
Inject street drugs																				
Sexual Preference																				
Heterosexual	18		6	5		7	15	3					5	4	5	4				
Homosexual	1		1				1						1							
Bisexual																				
Unknown																				
Number of sex partners																				
None	5		1	2		2	4	1					1	1		3				
One	7		3	1		3	6	1					1	3	3					
2 - 5	7		3	2		2	6	1					4		2	1				
More than 5																				
Unknown																				
Dental surgery																				
Other surgery	1		1				1								1					
Acupuncture																				
Tattoo	1			1			1						1							
Accidental needle stick																				
Object contaminated with blood																				
Received 3 dose hepatitis B series																				
Yes																				
No	19																			
Total Reported Cases	23	4																		

*When the NETSS field for a specific risk factor is blank (not marked yes or no), that case will be reflected in the count for this column.
Information provided only when case answered positively for the respective risk factor.

Notifiable Disease Surveillance Monthly Report: Communicable Disease/Vaccine-Preventable

Month: December, 2003 by Date of Report

Disease	Reported Cases	Race				Gender			Age											Previous Year
		White	Black	Other	Unk	Male	Female	Unk	< 1	1-9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70+	Unk	December, 2002	
Gastrointestinal Diseases																				
Campylobacteriosis	2	1			1	1	1					2							5	
E-Coli 0157:H7																				
Giardiasis	4				4	3	1			1				3					1	
Salmonellosis	2	1			1	1	1						1				1		10	
Shigellosis	1				1		1			1									1	
Total	9	2	0	0	7	5	4	0	0	2	0	2	1	3	0	0	1	0	17	
Hepatitis A, B, and C																				
Hepatitis A	3				3		3		1				1		1					
Hepatitis B																				
-Acute	3	2	1			2	1						2	1					5	
-Chronic	7	1	1		5	4	3					2	2	2	1				20	
-Perinatal	4				4		4				1	2	1						3	
Hepatitis C																				
-Acute	1		1			1									1					
-Chronic	20	10	8	1	1	14	6		1		1		1	8	7	1	1		163	
Total	38	13	11	1	13	21	17	0	2	0	2	4	7	11	10	1	1	0	191	
Bacterial Meningitis and Bacteremia																				
Neisseria meningitidis Disease	1		1			1							1							
Bacteremia and meningitis caused by:																				
Haemophilus influenzae	3	1	1		1	1	2								2		1			
Group A Streptococcus	1	1					1							1					1	
Listeria monocytogenes																				
Other Bacteria	1		1				1							1						
Total	6	2	3	0	1	2	4	0	0	0	0	0	1	2	2	0	1	0	1	
DRSP/VRE																				
DRSP	1		1				1								1				4	
VRE	4	1	3			3	1						1	1	1		1		8	
Total	5	1	4	0	0	3	2	0	0	0	0	0	1	1	2	0	1	0	12	
Other																				
Shiga-like Toxin	1				1	1					1									
Legionellosis	1	1				1									1					
Leprosy	1		1				1					1								
Total	3	1	1	0	1	2	1	0	0	0	1	1	0	0	1	0	0	0	0	
Total of Communicable Diseases	61	19	19	1	22	33	28	0	2	2	3	7	10	17	15	1	4	0	221	
Vaccine-preventable Diseases																				
Diphtheria																				
Influenza-like Illness	1247*				1,247			1,247										1,247	2*	
Measles																				
Mumps																				
Pertussis	2	1	1			1	1		1		1								2	
Tetanus																				
Total	1,249	1	1	0	1,247	1	1	1,247	1	0	1	0	0	0	0	0	0	1,247	4	

Blank space = No report received

*Reported as confirmed cases

Notifiable Disease Surveillance Monthly Report: Communicable Disease/Vaccine-Preventable Cumulative Through December, 2003 by Date of Report

Disease	Reported Cases	Race				Gender			Age											Previous Year
		White	Black	Other	Unk	Male	Female	Unk	< 1	1-9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70+	Unk	December, 2002	
Gastrointestinal Diseases																				
Campylobacteriosis	19	9	1		9	9	10		1	2	2	4	1	5		4			36	
E-Coli 0157:H7																			5	
Giardiasis	31	1			30	20	10	1	2	11	2	1	5	8	1	1			28	
Salmonellosis	47	16	4	2	25	19	27	1	7	10	5	1	7	8	5	1	2	1	64	
Shigellosis	12	4		2	6	7	5			7	1	1	2					1	12	
Total	109	30	5	4	70	55	52	2	10	30	10	7	15	21	6	6	2	2	145	
Hepatitis A, B, and C																				
Hepatitis A	11	4			7	5	6		1		1	1	1	3	1	3			15	
Hepatitis B																				
-Acute	23	7	6		10	18	5					6	6	7	4				20	
-Chronic	82	8	10	3	61	53	29		2	2	5	8	22	27	9	4	3		93	
-Perinatal	32			1	31		32				1	22	9						25	
Hepatitis C																				
-Acute	1		1			1									1				2	
-Chronic	431	246	130	20	35	259	171	1	1		2	14	55	208	131	13	6	1	321	
Total	580	265	147	24	144	336	243	1	4	2	9	51	93	245	146	20	9	1	476	
Bacterial Meningitis and Bacteremia																				
Neisseria meningitidis Disease	1		1			1							1						4	
Bacteremia and Meningitis caused by:																				
Haemophilus influenzae	7	3	2		2	1	6							2	2		3		4	
Group A Streptococcus	15	8	2	1	4	5	9	1		1		2	1	3		1	5	2	3	
Listeria monocytogenes																				
Other Bacteria	4	1	3				4						1	2	1				2	
Total	27	12	8	1	6	7	19	1	0	1	0	2	3	7	3	1	8	2	13	
DRSP/VRE																				
DRSP	25	7	11		7	17	8		2	1	1	1	1	5	6	1	7		18	
VRE	48	31	14		3	19	28	1	1			2	6	10	9	6	14		40	
Total	73	38	25	0	10	36	36	1	3	1	1	3	7	15	15	7	21	0	58	
Other																				
Shiga-like Toxin	1				1	1					1									
Legionellosis	2	2				2							1		1				1	
Leprosy	1		1				1					1								
Total	4	2	1	0	1	3	1	0	0	0	1	1	1	0	1	0	0	0	1	
Total of Communicable Diseases	793	347	186	29	231	437	351	5	17	34	21	64	119	288	171	34	40	5	693	
Vaccine-preventable Diseases																				
Diphtheria																				
Influenza-like Illness	2191*				2,191			2,191										2,191	215**	
Measles																				
Mumps	1	1					1					1							1	
Pertussis	12	8	1	1	2	7	5		7	2	2	1							11	
Tetanus																				
Total	2,204	9	1	1	2,193	7	6	2,191	7	2	2	2	0	0	0	0	0	2,191	227	

*Reported as confirmed cases

**212 cases reported as confirmed

Blank space = No report received

Notifiable Disease Surveillance Monthly Report: Tuberculosis
Month: December, 2003 by Date of Report

Site	Reported Cases	Place of Diagnosis		Race/Ethnicity						Gender			Age											Comments
		MHD	Other	White Non-Hisp	Black Non-Hisp	Hispanic	Amer. Ind/Alask. Nat.	Asian/Pac. Islander	Other	Male	Female	Unk	< 1	1-9	10 - 19	20 - 29	30 - 39	40 - 49	50 - 59	60 - 69	70+	Unk		
New Pulmonary Cases	7	2	5	2	5					4	3					1	4	2						
New Extrapulmonary Cases	1	1		1						1										1				
New Cases in Dual Sites	1		1		1					1					1									
New Homeless Cases	3	1	2	2	1					2	1					1	2						Total New Cases	
Total New Cases	9	3	6	3	6					6	3					1	1	4	2		1		December 2002: 5	
Cumulative Through December, 2003																								
Pulmonary																								
Total Cases	52	11	41	21	29				2		40	12			5	2	4	11	11	15	1	3		
Extrapulmonary																								
Total Cases	8	1	7	2	3				3		8						3	4			1			
Dual Sites																								
Total Cases	6		6	1	5					4	2					2	1		2	1				
All Sites																								
Total Cases	66	12	54	24	37				5		52	14			5	4	8	15	13	16	2	3		
Total Homeless Cases	14	5	9	6	8					13	1						4	5	5					
Total Drug-resistant Cases																							Cumulative Total Thru	
Total Multi-drug resistant Cases																							December 2002: 64	
Total Cases with HIV Co-infection	14	1	13	4	10					13	1						7	6	1					
Total Cases Foreign Born < 5 Years	5		5	2	1				2	4	1					3		1		1				
Total Cases Foreign Born > 5 Years	5	1	4	2	1				2	5							3	1	1					

Blank space = No report received

Definitions and Technical Notes

1. Human Immunodeficiency Virus (HIV) / Acquired Immunodeficiency Syndrome (AIDS): Effective January 1, 2000, the Centers for Disease Control & Prevention (CDC) has established a new case definition for HIV infection in adults and children that includes revised surveillance criteria for HIV infection and incorporates the surveillance criteria for AIDS. For adults and children aged ≥ 18 months, the HIV surveillance case definition includes laboratory and clinical evidence specifically indicative of HIV infection and severe HIV disease. For children aged <18 months (except for those who acquired HIV infection other than by perinatal transmission), the HIV surveillance case definition updates the definition in the 1994 revised classification system. The revised case definition includes HIV nucleic acid (DNA or RNA) detection tests and permits reporting of cases based on the result of any test licensed for diagnosing HIV infection in the U.S. The entire case definition may be found in MMWR, December 10, 1999 / Vol.48 / No. RR-13.

Effective January 1, 1993, the CDC expanded the AIDS surveillance to include all HIV infected adolescents and adults aged greater than or equal to 13 years who have either a) less than 200 CD4+ T-lymphocytes/uL; b) a CD4+ T-lymphocyte percentage of total lymphocytes of less than 14%; or c) any of the following three clinical conditions: pulmonary tuberculosis, recurrent pneumonia, or invasive cervical cancer. The expanded definition retained the 23 clinical conditions in the AIDS surveillance case definition published in 1987.

2. Sexually Transmitted Diseases (STDs): Sexually transmitted diseases are infections one can acquire by having sex (vaginal, oral, and/or rectal) with another who has the infection. Viruses or bacteria can cause STDs. Although there are many types of STDs, only HIV/AIDS, chlamydia, gonorrhea, and syphilis are required to be reported to the health department and are presented in this report. HIV/AIDS cases are tabulated separately from other STDs for programmatic reasons.

3. Communicable/Vaccine-preventable Diseases: Communicable diseases in this report are a selected group of notifiable diseases that are reported to the Metropolitan Health Department of Nashville and Davidson County (MHD) regularly (other than AIDS/HIV, STDs, and TB). Other communicable diseases not listed in this report may be added as needed. Communicable diseases make up the largest portion of notifiable diseases, which are diseases that are required by law to be reported to the health department. Diseases that can be prevented by immunization include influenza, measles, mumps, polio, rubella (German measles), pertussis, diphtheria, tetanus, *Haemophilus influenzae* type b, hepatitis B, varicella (chickenpox), and others. Influenza, measles, diphtheria, mumps, pertussis, and tetanus are the six vaccine-preventable diseases listed regularly in this report, although others may be included as needed.

4. Tuberculosis: A chronic bacterial infection caused by Mycobacterium tuberculosis (MTB), characterized pathologically by the formation of granulomas. The most common site of infection is the lung, but other organs may be involved. A verified case of TB is a case that has laboratory confirmation of Mycobacterium tuberculosis (i.e., positive culture for MTB) or, in the absence of laboratory confirmation, a case that meets the clinical case definition. A clinical case meets all of the following criteria: 1.) It has a positive tuberculin skin test. 2.) Other signs and symptoms compatible with tuberculosis (e.g., an abnormal, unstable [i.e., worsening or improving] chest radiograph, or clinical evidence of current disease are present. 3.) There is treatment with two or more antituberculosis medications. 4.) A completed diagnostic evaluation. Because verification of a tuberculosis case according to the case definition as described above requires 6 – 8 weeks or longer, a case may be reported to the Tennessee Department of Health (TDOH) and presented in this report one to two months or longer after evaluation and care was initiated for the case. Following evaluation for tuberculosis, some persons are determined to not have a laboratory confirmation of MTB or to meet the clinical case definition for the disease, and are therefore not reported to the TDOH.

A TB case should not be counted twice within any consecutive 12-month period. However, cases in which the patients had previously had verified disease should be reported again if the patients were discharged from treatment. Cases also should be reported again if patients were lost to supervision for greater than 12 months and disease can be verified again. Mycobacterium diseases other than those caused by *M. tuberculosis* complex should not be counted in tuberculosis morbidity statistics unless there is concurrent tuberculosis. (Centers for Disease Control & Prevention case definition).

Information pertaining to tuberculosis cases who were homeless is provided beginning in December, 2000. Homeless is defined as:

- (1) An individual who lacks a fixed, regular, and adequate nighttime residence; or
- (2) An individual who has a primary nighttime residence that is:
 - (a) A supervised publicly or privately operated shelter designed to provide temporary living accommodations (including welfare hotels, congregate shelters, and transitional housing for the mentally ill); or
 - (b) An institution that provides a temporary residence for individuals intended to be institutionalized; or
 - © A public or private place not designated for, or ordinarily used as, a regular sleeping accommodation for human beings.

A homeless person may also be defined as a person who has no home, e.g., is not paying rent, does not own a home, and is not steadily living with relatives or friends. Another definition is a person who lacks customary and regular access to a conventional dwelling or residence. Included as homeless are persons who live on streets or in nonresidential buildings. Also included are residents of homeless shelters, shelters for battered women, welfare hotels, and single room occupancy (SRO) hotels which are not designated for permanent long-term housing. The term homeless is applied to any patient who meets the definition of homeless at any time during the 12 months prior to the time when the TB diagnostic evaluation was performed. (Definition from the TIMS User's Guide).

5. **Surveillance:** Continuous analysis, interpretation, and feedback of systematically collected data, generally using methods distinguished by their practicality, uniformity, and rapidity rather than by accuracy or completeness. By observing trends in time, place and persons, changes can be observed or anticipated and appropriate action, including investigative or control measures, can be taken. Sources of data may relate directly to disease or to factors influencing disease. Thus they may include (1) mortality and morbidity reports based on death certificates, hospital records, general practice sentinels, or notifications; (2) laboratory diagnoses; (3) outbreak reports; (4) vaccine utilization-uptake and side effects; (5) sickness absence records; (6) disease determinants such as biological changes in agent, vectors, or reservoirs; (7) susceptibility to disease, as by skin testing or serological surveillance (e.g., serum banks). This definition was taken from "A Dictionary of Epidemiology" third edition, edited by John M. Last, and published in 1995.

6. **Event Date:** Event date is defined as the earliest known date associated with the incidence of the disease. This date may be the date of disease onset, the date of clinical diagnosis, laboratory diagnosis, report to county health department, report to state health department, or as a last resort, any date associated with the case. For purposes of this report, event date is the date of laboratory diagnosis.

7. **Report Date:** Report date is defined as the date that the disease was reported to the Tennessee Department of Health. The report date is always a Saturday. For example, diseases displayed in this report by report date reflect those cases reported to the Tennessee Department of Health from the week ending the second Saturday of the month of the report to the week ending the first Saturday of the current month.

8. NETSS: National Electronic Transmitting Surveillance System
9. TIMS: Tuberculosis Information Management System
10. HARS: HIV/AIDS Reporting System
11. Cumulative totals for STD's, communicable diseases and vaccine-preventable diseases represent only the totals in 1999 and 2000 through the respective month being reported on in 1999 and 2000.
12. HIV/AIDS/STD data:
 - ◆ Provided by: Dan McEachern, Division of STD Control, and Nancy Horner
 - ◆ Date: January 16, 2004 and January 29, 2004.
 - ◆ Data Source: STD cases entered into the NETSS database by report date.
 - ◆ HIV/AIDS cases entered into the HARS database during the calendar month of the report.
 - ◆ **Please note:** Number of cases of HIV/AIDS may include both Davidson County residents and non-Davidson County residents. Resident vs. non-resident status is indicated page ten. STD data presented is Davidson County resident data only.
13. Communicable/Vaccine-preventable diseases data:
 - ◆ The data used to prepare the Communicable/Vaccine-preventable Diseases portion of this report were downloaded from NETSS on January 29, 2004 at the Metropolitan Health Department of Nashville and Davidson County by Nancy Horner, Division of Epidemiology.
 - ◆ Data presented is Davidson County resident data only.

In June 2000, changes were made in how bacterial meningitis and bacteremia are presented in the report. These changes were made to 1) make the data more easily interpreted and 2) to more closely represent the manner in which the diseases are reported to CDC through NETSS. The NETSS event numbers used to report these bacteria to the CDC include both cases of meningitis and bacteremia caused by the bacteria. In order to determine whether a reported case is meningitis or bacteremia requires entry into the secondary screens of the NETSS system where laboratory specifics are entered, such as 1) specimen from which the organism was isolated (blood, cerebrospinal fluid, pleural fluid, peritoneal fluid, pericardial fluid, joint, placenta, amniotic fluid, and other) and 2) type of infection caused by the organism (primary bacteremia, meningitis, otitis media, pneumonia, cellulitis, epiglottitis, peritonitis, pericarditis, septic abortion, amnionitis, septic arthritis, conjunctivitis, other); and 3) serogroup. This report will provide only the total numbers for the represented categories. For specific information pertaining to numbers of bacterial meningitis vs. bacteremia, contact Pam Trotter at Ext. 632.

The bacteria included in the "Other Bacteria" category include: Group B streptococcus, *Streptococcus pneumoniae*, *Escherichia coli*, *Staphylococcus aureus*, *Staphylococcus epidermidis*, *Klebsiella* species, *Enterobacter* species, *Serratia* species, *Actinobacter* species, Group D streptococcus, and other streptococcus.

14. Tuberculosis data:

- ◆ Data pertaining to numbers of drug-resistant cases provided by Division of Tuberculosis Elimination.
- ◆ Date: Gwen Summers, May 12, 2003.
- ◆ Nancy Horner, Division of Epidemiology, ran the tuberculosis data from the TIMS database on January 29, 2004.
- ◆ Data Source: TIMS. Tuberculosis cases presented in this report reflect surveillance of new cases based on calendar month of report.
- ◆ **Please note:** Cases presented are primarily Davidson County residents, but may include some cases diagnosed, treated, and managed in Davidson County but residing in another county. Those cases not Davidson County residents will be so indicated on the report.

Because determination of drug/multi-drug resistance may require as long as 2 months, beginning with the October 2001 report this information will presented only as cumulative data. Similarly, HIV reports may not be available to accurately reflect by month the HIV status of each case so HIV Co-infection status will presented as cumulative data only.

In September of 2001, maps were added to the report. The maps are geographical representation of individual cases of diseases. The maps are produced using ArcView GIS Version 3.0.

In May of 2002, information pertaining to risk factors for hepatitis A and B were added to the report.